



# SAFETY DATA SHEET

Issuing Date January 5, 2015

Revision Date New

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Clorox Commercial Solutions® Clorox® 4 in One Disinfectant & Sanitizer

### Other means of identification

**EPA Registration Number** 67619-29

### Recommended use of the chemical and restrictions on use

**Recommended Use** Aerosol disinfectant, sanitizer, and deodorizer

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Clorox Professional Products Company  
1221 Broadway  
Oakland, CA 94612

Phone: 1-510-271-7000

### Emergency telephone number

**Emergency Phone Numbers** For Medical Emergencies call: 1-800-446-1014  
For Transportation Emergencies, call Chemtrec: 1-800-424-9300

## 2. HAZARDS IDENTIFICATION


### Classification

This mixture is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

|                       |             |
|-----------------------|-------------|
| Eye damage/irritation | Category 2B |
| Carcinogenicity       | Category 1B |
| Flammable aerosols    | Category 2  |

### GHS Label elements, including precautionary statements

#### Emergency Overview

|  |                                   |                            |
|--|-----------------------------------|----------------------------|
| <b>Signal word</b>   | <b>Danger</b>                     |                            |
| <b>Hazard statements</b><br>Causes eye irritation<br>May cause cancer<br>Flammable aerosol |                                   |                            |
|            |                                   |                            |
| <b>Appearance</b> Clear, colorless   | <b>Physical State</b> Thin liquid | <b>Odor</b> Orange, citrus |

### Precautionary Statements - Prevention

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear eye protection such as safety glasses.  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Pressurized container: Do not pierce or burn, even after use.  
Do not spray on an open flame or other ignition source.  
Wash hands and any exposed skin thoroughly after handling.

### Precautionary Statements - Response

If exposed or concerned: Get medical attention.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention.

### Precautionary Statements - Storage

Store locked up.  
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

### Precautionary Statements - Disposal

Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

### Hazards not otherwise classified (HNOC)

Not applicable

### Unknown Toxicity

None

**Other information**

Toxic to aquatic life with long lasting effects.

**Interactions with Other Chemicals**

Can react with strong oxidizers, inorganic acids, and halogens.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name  | CAS-No    | Weight % | Trade Secret |
|----------------|-----------|----------|--------------|
| Ethanol        | 64-17-5   | 50 - 75  | *            |
| Propane        | 74-98-6   | 1 - 5    | *            |
| d-Limonene     | 5989-27-5 | 0.5 - 2  | *            |
| Sodium nitrite | 7632-00-0 | <0.2     | *            |

\* The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

**First aid measures****General Advice**

Show this safety data sheet to the doctor in attendance.

**Eye Contact**

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin Contact**

Wash skin with soap and water. If irritation persists, call a doctor.

**Inhalation**

Move to fresh air. If breathing is affected, call a doctor.

**Ingestion**

Drink a glassful of water. Call a doctor or poison control center.

**Most important symptoms and effects, both acute and delayed****Most Important Symptoms/Effects**

May cause moderate eye irritation. Inhalation of high concentrations may cause irritation of the respiratory tract, headaches, dizziness, nausea, vomiting, and malaise.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Dry chemical, carbon dioxide (CO<sub>2</sub>), foam, or water spray.

### Unsuitable Extinguishing Media

Do not extinguish a leaking gas fire unless leak can be stopped.

### Specific Hazards Arising from the Chemical

Containers may rupture at temperatures greater than 50°C.

NFPA Aerosol Classification: Level 2

### Explosion Data

**Sensitivity to Mechanical Impact** None

**Sensitivity to Static Discharge** Yes.

### Protective Equipment and Precautions for Firefighters

Containers may rupture at temperatures greater than 50°C. Cool exposed containers to avoid potential bursting or venting. Use equipment or shielding to protect personnel from bursting containers. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid contact with eyes, skin, and clothing. Wear respiratory protection for large spills.

**Other Information** Eliminate all potential sources of ignition, and ventilate area. Take precautionary measures against static discharge. Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

**Environmental Precautions** Prevent entry into waterways, sewers, basements, and confined areas.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches, and waterways.

**Methods for Cleaning Up** Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin, and clothing. Avoid breathing vapors. Contents under pressure. Do not puncture or incinerate containers. Keep away from heat, sparks, open flames, and hot surfaces. Do not eat, drink, or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

**Storage** Store in accordance with NFPA 30B for Level 2 aerosols. Do not store at temperatures above 50°C. Keep containers in a dry, cool, and well-ventilated place. Keep away from heat and ignition sources. Protect from sunlight.

**Incompatible Products** Strong oxidizers, inorganic acids, and halogens.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name               | ACGIH TLV      | OSHA PEL                                     | NIOSH IDLH   |
|-----------------------------|----------------|--|--|
| Ethanol<br>64-17-5          | STEL: 1000 ppm | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> | IDLH: 3300 ppm 10% LEL<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> |
| Propane<br>74-98-6          | TWA: 1000 ppm  | TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup> | IDLH: 2100 ppm<br>TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup>         |
| d-Limonene<br>5989-27-5     | None           | None   | None   |
| Sodium nitrite<br>7632-00-0 | None           | None   | None   |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

### Appropriate engineering controls

**Engineering Measures**                      Showers  
     Eyewash stations  
     Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection**                      Wear safety glasses.

**Skin and Body Protection**                      Wear rubber or neoprene gloves if there is the potential for repeated or prolonged skin contact.

**Respiratory Protection**                      If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures**                              Do not eat, drink, or smoke when using this product. Wash hands with soap and water after use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

|                       |             |                       |                          |
|-----------------------|-------------|-----------------------|--------------------------|
| <b>Physical State</b> | Thin liquid | <b>Odor</b>           | Orange, citrus           |
| <b>Appearance</b>     | Clear       | <b>Odor Threshold</b> | No information available |
| <b>Color</b>          | Colorless   |                       |                          |

| <u>Property</u>                               | <u>Values</u>                       | <u>Remarks/ Method</u> |
|---|-------------------------------------|------------------------|
| <b>pH</b>                                     | 6.5 - 8.5 (liquid)                  | None known             |
| <b>Melting/freezing point</b>                 | No data available                   | None known             |
| <b>Boiling Point/Range</b>                    | No data available                   | None known             |
| <b>Flash Point</b>                            | 19°C (liquid, closed cup)           | None known             |
| <b>Flame extension</b>                        | 18 inches (46 cm) without flashback | None known             |
| <b>Evaporation rate</b>                       | No data available                   |                        |
| <b>Flammability (solid, gas)</b>              | No data available                   | None known             |
| <b>Flammability Limits in Air</b>             |                                     |                        |
| <b>Upper flammability limit</b>               | No data available                   | None known             |
| <b>Lower flammability limit</b>               | No data available                   | None known             |
| <b>Vapor pressure</b>                         | No data available                   | None known             |
| <b>Vapor density</b>                          | No data available                   | None known             |
| <b>Specific Gravity</b>                       | ~0.85 (liquid)                      | None known             |
| <b>Water Solubility</b>                       | Soluble in water.                   | None known             |
| <b>Solubility in other solvents</b>           | No data available                   | None known             |
| <b>Partition coefficient: n-octanol/water</b> | No data available                   | None known             |
| <b>Autoignition temperature</b>               | No data available                   | None known             |
| <b>Decomposition temperature</b>              | No data available                   | None known             |
| <b>Kinematic viscosity</b>                    | No data available                   | None known             |
| <b>Dynamic viscosity</b>                      | No data available                   | None known             |
| <b>Explosive Properties</b>                   | Not explosive                       |                        |
| <b>Oxidizing Properties</b>                   | No data available                   |                        |

### Other Information

|                                   |                   |
|-----------------------------------|-------------------|
| <b>Softening Point</b>            | No data available |
| <b>VOC Content (%)</b>            | No data available |
| <b>Particle Size</b>              | No data available |
| <b>Particle Size Distribution</b> | No data available |

## 10. STABILITY AND REACTIVITY

### Reactivity

Can react with strong oxidizers, inorganic acids, and halogens

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Do not store at temperatures above 50°C. Keep away from heat, sparks, open flames, and hot surfaces.

### Incompatible materials

Strong oxidizers, inorganic acids, and halogens

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

##### Inhalation

Inhalation of high concentrations may cause irritation of the respiratory tract, headaches, dizziness, nausea, vomiting, and malaise.

##### Eye Contact

May cause moderate eye irritation.

##### Skin Contact

Prolonged contact may cause slight irritation.

##### Ingestion

Ingestion may cause central nervous system depression, gastrointestinal irritation, nausea, vomiting, and diarrhea.

#### Component Information

| Chemical Name               | LD50 Oral      | LD50 Dermal      | LC50 Inhalation      |
|-----------------------------|----------------|------------------|----------------------|
| Ethanol<br>64-17-5          | -              | -                | 124.7 mg/L (Rat) 4 h |
| Propane<br>74-98-6          | -              | -                | 658 mg/L (Rat) 4 h   |
| d-Limonene<br>5989-27-5     | 4.4 g/kg (Rat) | >5 g/kg (Rabbit) | -                    |
| Sodium nitrite<br>7632-00-0 | 85 mg/kg (Rat) | -                | 5.5 mg/L (Rat) 4 h   |

### Information on toxicological effects

#### Symptoms

May cause redness and tearing of the eyes.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Sensitization

No information available.

#### Mutagenic Effects

No information available.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

| Chemical Name               | ACGIH | IARC     | NTP   | OSHA |
|-----------------------------|-------|----------|-------|------|
| Ethanol<br>64-17-5          | A3    | Group 1  | Known | X    |
| d-Limonene<br>5989-27-5     |       | Group 3  |       | X    |
| Sodium nitrite<br>7632-00-0 |       | Group 2A |       | X    |

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

#### Reproductive Toxicity

No information available

#### STOT - single exposure

No information available.

## 11. TOXICOLOGICAL INFORMATION

### STOT - repeated exposure Chronic Toxicity

No information available.  
Contains a known or suspected carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Sodium nitrite produced stomach tumors in female mice when fed exaggerated doses. Contains a known or suspected reproductive toxin. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Repeated abuse can have long-term health effects.

### Target Organ Effects

Eyes, blood, central nervous system (CNS), liver, reproductive system, respiratory system.

### Aspiration Hazard

No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

#### ATEmix (oral)

63.6 g/kg

#### ATEmix (inhalation-gas)

10,425,000

#### ATEmix (inhalation-dust/mist)

188 mg/L

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life with long lasting effects.

### Persistence and Degradability

No information available.

### Bioaccumulation

| Chemical Name               | Log Pow |
|-----------------------------|---------|
| Ethanol<br>64-17-5          | -0.32   |
| Propane<br>74-98-6          | 2.3     |
| Sodium nitrite<br>7632-00-0 | -3.7    |

### Other Adverse Effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

### Contaminated Packaging

Dispose of in accordance with all applicable federal, state, and local regulations.



**14. TRANSPORT INFORMATION**

**DOT** Limited quantity.

**TDG**  
**UN-No** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, 2.1

**ICAO**  
**UN-No** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, 2.1

**IATA**  
**UN-No** UN1950  
**Proper Shipping Name** AEROSOLS, FLAMMABLE  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, FLAMMABLE, 2.1

**IMDG/IMO**  
**UN-No** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**EMs No.** 5F  
**Description** UN1950, AEROSOLS, 2.1

**15. REGULATORY INFORMATION**

**Chemical Inventories**

**TSCA** All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.

**DSL/NDSL** All components are on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical that is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name               | CAS-No    | Weight % | SARA 313 Threshold Values % |
|-----------------------------|-----------|----------|-----------------------------|
| Sodium nitrite<br>7632-00-0 | 7632-00-0 | 0.1 - 1  | 1.0                         |

**SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** Yes  
**Fire Hazard** Yes  
**Sudden Release of Pressure Hazard** Yes  
**Reactive Hazard** No

**Clean Water Act**

This product contains the following substance that is regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name               | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium nitrite<br>7632-00-0 | 100 lb.                     |                        |                           | X                          |

**CERCLA**

This material, as supplied, contain the following substance regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name               | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ  |
|-----------------------------|--------------------------|------------------------------------|---|
| Sodium nitrite<br>7632-00-0 | 100 lb                   |                                    | RQ 100 lb final RQ<br>RQ 45.4 kg final RQ |

**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name      | California Proposition 65 |
|--------------------|---------------------------|
| Ethanol<br>64-17-5 | Developmental             |

**U.S. State Right-to-Know Regulations**

| Chemical Name                    | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------------------------|------------|---------------|--------------|--------------|----------|
| Ethanol<br>64-17-5               |            | X             |              |              |          |
| Dipropylene glycol<br>25265-71-8 |            |               | X            |              |          |
| Propane<br>74-98-6               | X          | X             | X            |              |          |
| d-Limonene<br>5989-27-5          |            |               |              |              | X        |
| Sodium nitrite<br>7632-00-0      | X          | X             | X            | X            |          |

**International Regulations**

**Canada**

**WHMIS Hazard Class**

- D2A Very toxic Materials
- A Compressed gases
- B5 Flammable aerosol



**16. OTHER INFORMATION**

|                    |                         |                       |                          |  |
|--------------------|-------------------------|-----------------------|--------------------------|--|
| <b><u>NFPA</u></b> | <b>Health Hazard</b> 1  | <b>Flammability</b> 3 | <b>Instability</b> 0     | <b>Physical and Chemical Hazards</b> - |
| <b><u>HMIS</u></b> | <b>Health Hazard</b> 1* | <b>Flammability</b> 3 | <b>Physical Hazard</b> 0 | <b>Personal Protection</b> A           |

*\*Indicates a chronic health hazard*

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Preparation/Revision Date** January 5, 2015

**Revision Date** New

**Revision Note** New

**Reference** CLX184832-001/184832.001/1118256-B

**General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**