

PEEL-AWAY.txt

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT: PEEL-AWAY

IDENTITY: ORANGE DEGREASER

Revision Date: 11/12/2007

Section I

Sold By: Continental Research Corp.
Address: PO Box 15204
St. Louis
Missouri
63110

Telephone Numbers:
Emergency:
800-325-4869
Information:
800-325-4869

HMS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
1, 8-P-MENTHADIENE	5989-27-5	NE	NE	N/A	___
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Comment:

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 345F Specific Gravity (water=1) 0.86
Vapor Pressure(mm Hg) NE Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: < 1
Solubility in Water: SLIGHT (Butyl Acetate=1)
Appearance and Odor: CLEAR TINTED LIQUID, CITRUS ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

PEEL-AWAY.txt

Flash Point(Method Used):122F TCC Flammable Limits: LEL:0.7 UEL: 6.1
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: KEEP AWAY FROM HEAT,
SPARKS, AND OPEN FLAMES. DO NOT STORE AT TEMPERATURES ABOVE 120F.

Section V: REACTIVITY DATA

Stability: Unstable: Conditions to avoid: TEMPERATURES >120 F

Stable: X

Incompatibility (Materials to Avoid): STRONG OXIDIZING AGENTS

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X

Conditions to Avoid: EXPOSURE TO TEMPERATURES >120F MAY CAUSE BURSTING.

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Health Hazards(Acute and Chronic):

INHALATION: EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS. SKIN & EYES: WILL DEFAT
AND IRRITATE EYES AND SKIN. INGESTION: WILL CAUSE NAUSEA AND/OR DIARRHEA.

Carcinogenicity: NTP: NO IARC Monographs: NO OSHA Reg: NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE VICTIM TO FRESH AIR

SKIN: RINSE WITH SOAP AND WATER. EYES: RINSE WITH WATER FOR 15 MINUTES.

INGESTION: DRINK SEVERAL GLASSES OF WATER. CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: REMOVE ANY
SOURCE OF HEAT, FLAME, OR SPARKS. EVACUATE AFFECTED AREA. MOP UP WITH
APPROPRIATE ABSORBENT MATERIAL. AVOID BREATHING FUMES VENTILATE AREA.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT,
SPARKS AND FLAME. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION.

PEEL-AWAY.txt

STORE IN ACCORDANCE WITH NEPA, STATE AND LOCAL GUIDELINES.

Other Precautions: AVOID PROLONGED OR REPEATED INHALATION OF MIST OR VAPOR AND CONTACT WITH SKIN.

Section VIII: CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Local Exhaust: SUFFICIENT

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment:

N/A

Work/Hygiene Practices:

WASH HANDS AFTER USE.