## SAFETY DATA SHEET CB-80 Insecticide

SDS #: 6545-A Revision date: 2015-04-13 Format: NA Version 1.01



# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name	CB-80 Insecticide
Other means of identification	
Product Code(s)	6545-A
Synonyms	Pyrethrins and Pyrethroids, Pyrethrum PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-
Active Ingredient(s)	Piperonyl Butoxide, Pyrethrins
Recommended use of the chemical	and restrictions on use
Recommended Use:	Insecticide
Restrictions on Use:	Use as recommended by the label
Manufacturer Address	FMC Corporation 1735 Market Street Philadelphia, PA 19103 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information)
Emergency telephone number	For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

# 2. HAZARDS IDENTIFICATION

### **Classification**

### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 2

### GHS Label elements, including precautionary statements

#### EMERGENCY OVERVIEW

## Danger

### Hazard Statements

- H304 May be fatal if swallowed and enters airways
- H313 May be harmful in contact with skin
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness



### Precautionary Statements - Prevention

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

- P264 Wash face, hands and any exposed skin thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

- P312 Call a POISON CENTER or doctor if you feel unwell
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting

### **Precautionary Statements - Storage**

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

May be harmful if swallowed Harmful to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Piperonyl butoxide	51-03-6	4
Pyrethrins	8003-34-7	0.5

SDS #: 6545-A Revision date: 2015-04-13 Version 1.01

	1,1-Difluoroethane	75-37-6	65-75
[	Isopropanol	67-63-0	10-15
Ī	Petroleum distillates, hydrotreated light	64742-47-8	5-15

Synonyms are provided in Section 1.

	4. FIRST AID MEASURES		
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.		
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.		
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.		
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.		
Most important symptoms and effects, both acute and delayed	Central nervous system effects.		
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically. Contains petroleum distillate. May pose an aspiration pneumonia hazard.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media Foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water spray.			
Specific Hazards Arising from the Chemical	Contents under pressure.		
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Not sensitive.		
Protective equipment and precautions for firefighters	Isolate fire area. Evaluate downwind. In the event of fire, wear self contained breathing apparatus.		
	6. ACCIDENTAL RELEASE MEASURES		
<b>Personal Precautions</b> Isolate and post spill area. Remove all sources of ignition. Ventilate the area. W protective clothing, gloves and eye/face protection. For personal protection see ventilation is not possible wear full protection suit and chemical protective equip			
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.		
Environmental Precautions	See Section 12 for additional Ecological Information.		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.		

# 7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
Incompatible products	Strong oxidizing agents. Bases. Powdered earth metals.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pyrethrins	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	Mexico: TWA 5 mg/m <sup>3</sup>
8003-34-7			TWA: 5 mg/m <sup>3</sup>	Mexico: STEL 10 mg/m <sup>3</sup>
Isopropanol	STEL 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm	Mexico: TWA 400 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm	Mexico: TWA 980 mg/m <sup>3</sup>
			TWA: 980 mg/m <sup>3</sup>	Mexico: STEL 500 ppm
			STEL: 500 ppm	Mexico: STEL 1225
			STEL: 1225 mg/m <sup>3</sup>	mg/m <sup>3</sup>
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Pyrethrins 8003-34-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Isopropanol	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm	TWA: 200 ppm
67-63-0	STEL: 400 ppm	TWA: 985 mg/m <sup>3</sup>	STEL: 400 ppm	TWA: 492 mg/m <sup>3</sup>
		STEL: 500 ppm		STEL: 400 ppm
		STEL: 1230 mg/m <sup>3</sup>		STEL: 984 mg/m <sup>3</sup>
Petroleum distillates,	TWA: 200 mg/m <sup>3</sup>	-	-	-
hydrotreated light	Skin			
64742-47-8				

### Appropriate engineering controls

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.
Hand Protection	Protective gloves
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

#### SDS # : 6545-A Revision date: 2015-04-13 Version 1.01

#### **General information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance Physical State Color Odor Odor threshold pH Melting point/freezing point Boiling Point/Range Flash point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties	yellow, Aerosolized liquid Liquid Aerosol Yellow Pyrethrins No information available No information available Not applicable No information available 14.4 °C / 58 °F (Flame extension 5" - no flashback) No information available No information available
Explosive properties Oxidizing properties	
Molecular weight Bulk density	No information available No information available

## **10. STABILITY AND REACTIVITY**

Reactivity	None under normal use conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible materials	Strong oxidizing agents. Bases. Powdered earth metals.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen fluoride, Carbonyl fluoride.

# **11. TOXICOLOGICAL INFORMATION**

### Product Information

LD50 Oral LD50 Dermal LC50 Inhalation

Eye Contact Skin Contact 2,370 mg/kg (rat) > 2000 mg/kg (rabbit) 2.5 mg/L (rat)

Slightly or non-irritating (rabbit) Slightly or non-irritating (rabbit)

Sensitization	Sensitizer.	Sensitizer.				
Information on toxicolog	Information on toxicological effects					
Symptoms	Symptoms of	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or				
Delayed and immediate	effects as well as chronic	c effects from short and I	ong-term exposure			
Mutagenicity		Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes. n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay,				
Carcinogenicity		ed as carcinogenic by Res				
Reproductive toxicity		No information available.				
Developmental toxicity	Isopropanol I	Isopropanol has been reported to cause teratogenicity in laboratory animals.				
STOT - single exposure		Not classified.				
STOT - repeated exposu		Not classified.				
Target organ effects	and other sig	Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group				
	showed pren	showed preneoplastic changes, including enlargement of hepatocyte nuclei and				
		multinucleated cells. Kidney damage was also seen.				
Aspiration hazard		No information available.				
Chemical name	ACGIH	IARC	NTP	OSHA		
Piperonyl butoxide 51-03-6		Group 3				
Isopropanol 67-63-0		Group 3				

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Piperonyl butoxide (51-0	)3-6)			
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	µg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Persistence and degradability	No information available.						
Bioaccumulation	No information available.						
	13. DISPOSAL CONSIDERATIONS						
Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.						
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.						

# **14. TRANSPORT INFORMATION**

	version 1.01
UN/ID no	17 oz. Container: UN1950
	13 lb. Cylinder: UN1954
Proper Shipping Name	17 oz. Container: Consumer Commodity
1 11 0	13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard class	17 oz. Container: ORM-D
	13 lb. Cylinder: 2.1
TDG	
UN/ID no	17 oz. Container: UN1950
	13 lb. Cylinder: UN1954
Proper Shipping Name	17 oz. Container: Aerosols
	13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard class	2.1
ΙCAO/ΙΑΤΑ	
UN/ID no	17 oz. Container: ID8000
	13 lb. Cylinder: UN 1954
Proper Shipping Name	17 oz. Container: Consumer Commodity
1 11 0	13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard class	17 oz. Container: 9
	13 lb. Cylinder: 2.1
IMDG/IMO	
UN/ID no	17 oz. Container: UN1950
	13 lb. Cylinder: UN1954
Proper Shipping Name	17 oz. Container: Aerosols
	13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard class	2.1
-	

# **15. REGULATORY INFORMATION**

# **U.S. Federal Regulations**

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Pyrethrins 8003-34-7	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Contains petroleum distillates. Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

# US State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

### International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Piperonyl butoxide 51-03-6 (4)	Х	X	X	Х	Х	Х	X	Х
Pyrethrins 8003-34-7 (0.5)		X	X		X	Х	X	Х
1,1-Difluoroethane 75-37-6 (65-75)	Х	Х	X	Х	Х	Х	X	Х
Isopropanol 67-63-0 ( 10-15 )	Х	Х	X	Х	Х	Х	X	Х
Petroleum distillates, hydrotreated light 64742-47-8 ( 5-15 )	Х	Х	Х	Х	Х	Х	X	Х

Mexico - Grade

Serious risk, Grade 3

WHMIS Hazard Class

A - Compressed gases B5 - Flammable aerosol D1B - Toxic materials D2B - Toxic materials









### **16. OTHER INFORMATION**

NFPA	Health Hazards 2	Flammability 3	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 3	Physical hazard 0	Personal Protection X

Revision date: Revision note 2015-04-13 Format Change **Disclaimer** 

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared By:** 

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved. End of Safety Data Sheet