

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard.
29CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and
Health Administration

PRODUCT NUMBER: DS-52, DS-53, DS-54

Section I

Manufacturer's Name:	DecoArt, Inc.
Address:	US Hwys 150 & 27, Stanford, KY 40484
Emergency Telephone:	CHEMTREC: (800) 424-9300 DecoArt: (606) 365-3193
Date Prepared:	February 27, 2002
Chemical Name:	Mixture
Trade Name:	(Gold, Black, Pewter) Magic Medium Leading
Product Family:	Medium
Label Certification:	AP

Section II - Hazardous Ingredients/Identity Information

Hazardous Components, Specific Chemical Identity; Common Names(s)

OSHA PEL ACGIH TLV Other Limits %(Optional)

This product contains no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

Section III - Physical/Chemical Characteristics

Boiling Point Range:	212 F
Vapor Pressure (mm Hg.):	NA
Vapor Density (AIR=1):	NA
Specific Gravity (H2O=1):	1.15-1.25
Percent Volatile by volume (%):	12--20%
Evaporation Rate (Butyl Acetate=1):	NA
Solubility in Water:	Soluble
Appearance and Odor:	Liquid, Characteristic odor

Product # DS-52, DS-53, DS-54

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used):	Greater than 212F
Flammable Limits:	NA
LEL:	NA
UEL:	NA
Extinguishing Media:	Water spray, dry chemical, foam, CO2
Special Fire Fighting Procedures:	Water or foam may cause frothing if directed into containers or burning liquid. Fire fighters should wear protective clothing. Use water spray to keep fire exposed containers cool.
Unusual Fire and Explosion Hazards:	Burning plastic containers may emit hazardous fumes.

Section V - Reactivity Data

Stability:	Stable
Conditions to Avoid:	Keep From Freezing
Incompatibility (Materials to Avoid):	Avoid contact with strong oxidizing agents.
Hazardous Decomposition by Usual products of combustion: CO2, CO and possibly acrolein Byproducts:	
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	None

Product # DS-52, DS-53, DS-54

Section VI - Health Hazard Data

Route(s):	Inhalation: No Skin: Yes Ingestion: Yes
Health Hazards (Acute and Chronic):	None expected for product
Signs and Symptoms of Exposure:	EYES: May exhibit redness and primary irritation. SKIN: Some irritation may occur.
Emergency and First Aid Procedures:	EYES: Flush with clean water for 15 minutes. SKIN: Wash with soap and water.

Section VII - Precautions for Safe Handling and Use

Steps To Be Taken in Case Material Released or Spilled:	Small spills may be picked up with absorbent material and transferred to containers. Scoop up large spills for salvage or landfilling.
Waste Disposal Method:	Carefully incinerate or use secure landfill in accordance with local, state and federal regulations.
Precautions to Be Taken in Handling and Storing:	Store away from high temperatures and flames.
Other Precautions:	None

Section VIII - Control Measures

Respiratory Protection (Specify Type):	None generally required
Ventilation:	Local exhaust recommended
Special:	NA
Other:	NA
Protective Gloves:	None required
Eye Protection:	Goggles recommended
Other Protective Clothing or Equipment:	Eye wash station should be available

